

DETAILED ACTION

Election/Restrictions

1. This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species are as follows:

- a) a rubber vibration isolator;
- b) a floor vibration damping apparatus;
- c) a tire with flakes of damping alloy member embedded therein;
- d) a steel cord;
- e) a tire including the steel cord;
- f) a quake-absorbing rubber laminate with flakes of damping alloy member;
- g) a quake-absorbing rubber laminate wound with a spring of damping alloy member.

Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

2. The claims are deemed to correspond to the species listed above in the following manner:
- a) claims 1-3
 - b) claims 1, 4, and 5
 - c) claims 1, 6, and 7;
 - d) claims 1, 8, and 9;
 - e) claims 1 and 10;
 - f) claims 1 and 11-15;
 - g) claims 1, 16, and 17.

The following claim(s) are generic: claim 1.

3. The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: the subject matter of generic claim 1 does not distinguish over the prior art, as evidenced by Japanese Patent Application 7-242977 A (equivalent to JP 2849698 B2 cited in the International Search Report filed March 24, 2006) and Japanese Patent Application 2002-146498 A (cited in the International Search Report filed March 24, 2006), and therefore cannot serve as a common special technical feature.

4. Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement may be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To preserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

5. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any

amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Adrienne C. Johnstone whose telephone number is (571) 272-1218. The examiner can normally be reached on Monday-Friday, 1:00PM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on (571) 272-1226. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Adrienne C. Johnstone
Primary Examiner
Art Unit 1791

Adrienne Johnstone

/Adrienne C. Johnstone/

October 27, 2009